Environmental Protection Agency

§180.486 Phosphorothioic acid, 0,0diethyl 0-(1,2,2,2-tetrachloroethyl) ester; tolerances for residues.

Tolerances are established permitting the residue of the insecticide phosphorothioic acid, θ , θ -diethyl θ -(1,2,2,2-tetrachloroethyl) ester in or on the following raw agricultural commodities:

Commodity	Parts per million	
Corn, field, forage	0.01	
Corn, field, grain	0.01	
Corn, field, stover	0.01	
Corn, pop, grain	0.01	
Corn, pop, stover	0.01	
Corn, sweet, kernel plus cob with husks re-		
moved	0.01	
Corn, sweet, forage	0.01	
Corn, sweet, stover (fodder)	0.01	

[60 FR 49792, Sept. 27, 1995]

§ 180.487 Pyrithiobac sodium; tolerances for residues.

(a) *General.* Tolerances are established for residues of the herbicide, pyrithiobac sodium, (sodium 2-chloro-6-[(4,6-dimethoxypyrimidin-2-

yl)thio]benzoate), resulting from the application of the pesticide chemical in or on the following foods/feeds:

Commodity	Parts per million
Cotton gin byproducts	0.15 0.02

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) *Indirect or inadvertent residues.* [Reserved]

[62 FR 54783, Oct. 22, 1997, as amended at 64 FR 56469, Oct. 20, 1999; 67 FR 72110, Dec. 4, 2002]

§ 180.488 Hexaconazole; tolerance for residues.

(a) *General.* A tolerance is established for residues of the fungicide hexaconazole, [alpha-butyl-alpha-(2,4-dichlorophenyl)-1*H*-1,2,4-triazole-1-ethanol], in or on the following food commodity:

Commodity	Parts per million
Banana ¹	0.7

¹There are no U.S. registrations as of June 30, 1999.

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) *Indirect or inadvertent residues*. [Reserved]

[68 FR 39441, July 1, 2003]

§ 180.489 Sulfosate (Sulfonium, trimethyl-salt with N-(phosphonomethyl)glycine (1:1)); tolerances for residues.

(a) General. Tolerances are established for residues of the herbicide sulfosate (sulfonium, trimethyl-salt with N-(phosphonomethyl)glycine (1:1)) as the sum of the residues of the trimethylsulfonium cation (TSM) and the N-(phosphonomethyl glycine anion measured separately in or on the following raw and processed agricultural commodities.

Commodity	Parts per million
Almond, hulls (of which no more than 0.30 ppm	
is trimethylsulfonium (TMS))	1.00
Banana (imported only) 1	0.05
Cattle, fat	0.5
Cattle, kidney	6.0
Cattle, meat byproducts, except kidney	1.5
Cattle, meat	1.0
Corn, field, forage	0.10
Corn, field and pop, grain (of which no more	
than 0.10 ppm is TMS)	0.20
Corn, field and pop, stover (of which no more	
than 0.20 ppm is TMS)	0.30
Corn, sweet, forage (of which no more than 5.0	
ppm is TMS)	20
Corn, sweet, kernels plus cob with husks re-	
moved (of which no more than 0.10 ppm is	
TMS)	0.15
Corn, sweet, stover (of which no more than 65	
ppm is TMS)	170
Cotton, gin by-products (of which no more than	
35 ppm is TMS)	120
Cotton, undelinted seed (of which no more than	
10 ppm is TMS)	40
Crop group 2: Leaves of root and tuber vegeta-	
bles (human food or animal feed (except rad-	
ish) group (of which no more than 0.20 ppm	
is TSM)	0.30
Crop group 8: Vegetable, fruiting (except	0.00
cucurbits) group	0.05
Crop subgroup 1-A: Root vegetables (except	
radish) subgroup (of which no more than 0.10	
ppm is TSM)	0.15
Crop subgroup 1–C: Tuberous and corm vege-	0.10
tables subgroup (of which no more than 0.50	
ppm is TSM)	1
Crop subgroup 6–A: Edible-podded legume	l '
vegetables subgroup (of which no more than	
0.3 ppm is TSM)	0.5
0.3 ppiii is 13ivi)	0.5

§ 180.490

Commodity
Crop subgroup 6–B: Succulent shelled pea and bean subgroup (of which no more than 0.1
ppm is TSM)
bean (except soybean and animal feed) sub-
group (of which no more than 1.5 ppm is TSM)
Egg
Fruit, citrus groupFruit, pome, group 11
Fruit, stone, group 12
Goat, fat
Goat, meat byproducts, except kidney
Goat, meat
than 720 ppm is TMS)
Grape, raisin (of which no more than 0.05 ppm is TMS).
Hog, fat
Hog, kidney Hog, meat byproducts, except kidney
Hog, meat
Horse, fat
Horse, meat byproducts, except kidney
Horse, meat
Nut, tree, group 14
Pistachio
Poultry, meat byproducts
Prune (of which no more than 0.05 ppm is
TMS)
TMS)
Sheep, fat
Sheep, kidneySheep, meat byproducts, except kidney
Sheep, meat
Sorghum, grain, forage (of which no more than 0.10 ppm is TMS)
Sorghum, grain, grain (of which no more than 15 ppm is TMS)
Sorghum, grain, stover (of which no more than 60 ppm is TMS)
Soybean, forage (of which no more than 1 ppm
is TMS)
TMS)
Soybean, seed (of which no more than 13 ppm is TMS)
Wheat, bran (of which no more than 6.0 ppm is TMS)
Wheat, forage (of which no more than 30 ppm is TMS)
Wheat, grain (of which no more than 2.5 ppm is TMS)
Wheat shorts (of which no more than 0.50 ppm is TMS)
Wheat shorts (of which no more than 0.5 ppm is TMS)
is TMS)
Wheat, straw (of which no more than 0.5 ppm is

Commodity	Parts per million
Wheat, straw (of which no more than 40 ppm is TMS)	90

Parts per million

0.20

6.0

0.05

0.05

0.05 0.05

6.0 1.5

1.0

0.20 0.5

6.0

1.5 1.0

0.5

6.0

1.0

1.5

0.05

0.05

0.05

0.50 0.05

0.20 16

10 0.5

6.0 1.5 1.0

0.20

35

140

2.0

5.0

45

1.0

1,300 0.10 ¹There are no U.S. registrations as of the date of publication of the tolerance in the FEDERAL REGISTER

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) *Indirect or inadvertent residues.* [Reserved]

[64 FR 22805, Apr. 28, 1999, as amended at 64 FR 31511, June 11, 1999; 66 FR 48613, Sept. 21, 2001]

§ 180.490 Imazapic-ammonium; tolerances for residues.

(a) General. (1) Tolerances are established for combined residues of the herbicide imazapic, (\pm) -2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-5-methyl-3-pyridinecarboxylic acid and its metabolite (\pm) -2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-5-hydroxymethyl-3-pyridinecarboxylic acid, both free and conjugated, in or on the following food commodities:

(2) Tolerances are also established for the combined residues of the herbicide imazapic, (\pm) -2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-5-methyl-3-pyridinecarboxylic acid and its free metabolite (\pm) -2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-5-

hydroxymethyl-3-pyridinecarboxylic acid, in or on the following food commodities:

Commodity	Parts per million
Cattle, fat	0.10
Cattle, kidney	1.0
Cattle, meat byproducts, except kidney	0.1
Cattle, meat	0.1
Goat, fat	0.1
Goat, kidney	1.0
Goat, meat byproducts, except kidney	0.1
Goat, meat	0.1
Horse, fat	0.1
Horse, kidney	1.0
Horse meat byproducts exceptkidney	0.1